

AP Statistics

Chapter 2: Modeling Distributions of Data

Day 4

HW: p. 131-132, #47-52

Normal Distributions

The 68-95-99.7 rule only benchmarks values for the area under the normal distribution at whole numbers of standard deviations.

If locations other than whole standard deviations are desired, then [Table A: Standard Normal Probabilities](#) is required.

Determining probabilities from Table A requires the use of a standard score or **z-score**.

Table A (Continued)

z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.5000	.5040	.5080	.5120	.5160	.5199	.5239	.5279	.5319	.5359
0.1	.5398	.5438	.5478	.5517	.5557	.5596	.5636	.5675	.5714	.5753
0.2	.5793	.5832	.5871	.5910	.5948	.5987	.6026	.6064	.6103	.6141
0.3	.6179	.6217	.6255	.6293	.6331	.6368	.6406	.6443	.6480	.6517
0.4	.6554	.6591	.6628	.6664	.6700	.6736	.6772	.6808	.6844	.6879
0.5	.6915	.6950	.6985	.7019	.7054	.7088	.7123	.7157	.7190	.7224
0.6	.7257	.7291	.7324	.7357	.7389	.7422	.7454	.7486	.7517	.7549
0.7	.7580	.7611	.7642	.7673	.7704	.7734	.7764	.7794	.7823	.7852
0.8	.7881	.7910	.7939	.7967	.7995	.8023	.8051	.8078	.8106	.8133
0.9	.8159	.8186	.8212	.8238	.8264	.8289	.8315	.8340	.8365	.8389
1.0	.8413	.8438	.8461	.8485	.8508	.8531	.8554	.8577	.8599	.8621
1.1	.8643	.8665	.8686	.8708	.8729	.8749	.8770	.8790	.8810	.8830
1.2	.8849	.8869	.8888	.8907	.8925	.8944	.8962	.8980	.8997	.9015
1.3	.9032	.9049	.9066	.9082	.9099	.9115	.9131	.9147	.9162	.9177
1.4	.9192	.9207	.9222	.9236	.9251	.9265	.9279	.9292	.9306	.9319
1.5	.9332	.9345	.9357	.9370	.9382	.9394	.9406	.9418	.9429	.9441
1.6	.9452	.9463	.9474	.9484	.9495	.9505	.9515	.9525	.9535	.9545
1.7	.9554	.9564	.9573	.9582	.9591	.9599	.9608	.9616	.9625	.9633
1.8	.9641	.9649	.9656	.9664	.9671	.9678	.9686	.9693	.9699	.9706
1.9	.9713	.9719	.9726	.9732	.9738	.9744	.9750	.9756	.9761	.9767
2.0	.9772	.9778	.9783	.9788	.9793	.9798	.9803	.9808	.9812	.9817
2.1	.9821	.9826	.9830	.9834	.9838	.9842	.9846	.9850	.9854	.9857
2.2	.9861	.9864	.9868	.9871	.9875	.9878	.9881	.9884	.9887	.9890
2.3	.9893	.9896	.9898	.9901	.9904	.9906	.9909	.9911	.9913	.9916
2.4	.9918	.9920	.9922	.9925	.9927	.9929	.9931	.9932	.9934	.9936
2.5	.9938	.9940	.9941	.9943	.9945	.9946	.9948	.9949	.9951	.9952
2.6	.9953	.9955	.9956	.9957	.9959	.9960	.9961	.9962	.9963	.9964
2.7	.9965	.9966	.9967	.9968	.9969	.9970	.9971	.9972	.9973	.9974
2.8	.9974	.9975	.9976	.9977	.9977	.9978	.9979	.9979	.9980	.9981
2.9	.9981	.9982	.9982	.9983	.9984	.9984	.9985	.9985	.9986	.9986
3.0	.9987	.9987	.9987	.9988	.9988	.9989	.9989	.9989	.9990	.9990
3.1	.9990	.9991	.9991	.9991	.9992	.9992	.9992	.9992	.9993	.9993
3.2	.9993	.9993	.9994	.9994	.9994	.9994	.9994	.9995	.9995	.9995
3.3	.9995	.9995	.9995	.9996	.9996	.9996	.9996	.9996	.9996	.9997
3.4	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9998

Normal Distributions

The z-score is simply the number of standard deviations an observation lies from the mean.

The z-score is computed by


$$z = \frac{x - \mu}{\sigma}$$

mean
standard deviation

where x is the value of the observed outcome.


Example

What proportion of observations from the standard normal distribution are less than 0.81?




Example

What proportion of observations from the standard normal distribution are greater than -1.78?



Example

Find the proportion of observations from the standard normal distribution are between -1.25 and 0.81.



Example

Use Table A to find the proportion of observations from a standard normal distribution that fall in each of the following regions. Sketch a standard normal curve and shade the area representing the region.

- $z < 1.39$ (91.72%)
 - $z > -2.15$ (98.42%)
 - $-0.56 < z < 1.81$ (67.72%)
- Handwritten calculations for region 3: $0.9649 - 0.2877 = 0.6772$

Example


Use Table A to find the value z from the standard normal distribution that satisfies the following conditions. Sketch a standard normal curve with your value of z marked on the axis.

20th percentile

$$z = -0.84$$

56th percentile

$$z = 0.15$$



Example

American adult males have heights that are approximately distributed with a mean of $\mu = 173$ cm and a standard deviation of $\sigma = 7.5$ cm. What is the probability that a male will have a height less than 183 cm?

$$z = \frac{183 - 173}{7.5} = 1.33$$

90.82%

About 90.82% of adult males have a height of 183 cm or less.

$$z = 1.33$$

